



INFORMATION SHEET

Primary function and characteristics of the scaffolding nets



- ❖ Primarily used on scaffolding systems is to keep rubbish or debris contained on a building site.
- ❖ LOKET Scaffolding Nets improve site safety by reducing the risk of objects falling outside the working area.
- ❖ Scaffolding nets are made of HDPE (High-Density-Polyethylene)
- ❖ The melting point of HDPE is 130 °C
Weight per Unit Area is 50 g/m²
- ❖ Scaffolding net can be used for the fences, too, and it satisfies all conditions and textile standards - EN ISO 13934-1
- ❖ The structure of the netting is light and flexible. At the same time, the surface is very thick and, therefore, can be printed on, with the larger price.
- ❖ Because this material is UV-stable, as well as the printing, and owns other characteristics, such as the fact that the content doesn't absorb water, this netting is used in the open under every atmospheric impact.

WHO WE ARE?

We are the supplier of net materials for the: safety, construction, sport, industrial, marine market, and more...



SAFETY AND PROTECTION NETS

QUICK AND EASY MONTAGE

Thanks to the lightness of the content, the montage on the scaffolding can be made by one or two persons. The material is being unrolled, with the suggestion for doing it from the floor up. It is recommended to attach the netting on the scaffolding with PVC cable ties of 29 cm length. The material is knitting, so there is no specially foreseen position for pulling the relationship through, so the fixation on the scaffolding can be made on any area necessary. PVC cable ties are also available on our website as well as a part of our offer in general.

OUR RECOMMENDATION!


Check thoroughly the dimensions that you need. You need to pick out from dimensions mentioned on this information sheet. The netting is being installed and cut on the wanted length on the location of montage. If you prefer a readymade product, with ideal measures, look for the products of hire class in our offer.

We recommend you to contact us, so we could advise you what to buy. The easiest way to contact us is through:

email: loket@loket.at
or mobile: **+43 676 65 33 576**

PROPERTIES OF THE SCAFFOLDING MATERIAL

LIGHTWEIGHT
FLEXIBLE
DURABLE
COLORFAST
WEATHERPROOF
UV-STABILIZED



Weight per Unit Area: 50 g/m²

Width of the role: 1.75 / 2.0 / 2.6 / 3.10m

Length of the role: 25 / 50 / 100m

LOKET

Creating Safety

LOKET Handels- und Dienstleistungs GmbH
SAFETY AND PROTECTION NETS




We can produce and install any kind of net!

- AUTOMATED WAREHOUSE NETS
- PRINTED SCAFFOLDING NET
- LIFTING NETS
- GOAL NETS
- BALL STOP NETS
- ARCHERY PROTECTION NETS
- TENNIS COURT SCREEN
- SKI SLOPE NETS
- ANIMAL PROTECTION NETTING
- BARRIER NETS
- CARGO COVER NETS
- CARGO COVER SHEETS

TECHNICAL DATA CERTIFICATE

The most important additional data are wind permeability of 70% and the coefficient of the vertical and parallel strength on the scaffolding, that accrues because of the wind and is transmitting through the canvas (C_{fx} = 0,46 and C_{fy} = 0,15).



FUNCTIONALITY
Scaffolding structures, construction fence

COLOR OF THE MATERIAL
White

CERTIFICATE
EN ISO 13934-1

PRINT
Digital

MATERIAL PRICE: **1.00 € / m²** plus VAT plus shipping

- for perfect advertising
- fair price, best quality and fast delivery times
- shipping options within Austria and Germany
- additional shipping also possible to other EU countries

www.loket.at

www.loket.solutions

www.xxlprint.at

VISIT OUR ONLINE STORE



loket.at/SHOP/

LOKET
Creating Safety

LOKET Handels- und Dienstleistungs GmbH
SAFETY AND PROTECTION NETS



LOKET GmbH

Business Park 2,
AT-8200 GLEISDORF
Krenngasse 12, AT-8010 GRAZ
Tel. : +43 (0) 3112 38 912

UID:
ATU69742834

LOKET PRODUCE CUSTOM SIZE NETS SUITABLE FOR YOUR NEEDS!